



Hubei Yizhi Konjac Biotechnology Co., Ltd

Certificate of Analysis

NO:YZ1104047

Product		Konjac Gum(YZ-J-05)			
Batch number		20110404A			
Manufacture date		April 4,2011			
Test date		April 4,2011			
Sample	30g*5	Total amount of product	-		
Test Result					
	Item	Unit	Standard	Test result	Conclusion
1	Particle size	%	(≥120 Mesh) 90%	91.2%	Qualified
2	Viscosity	mPa·s	≥5000	5000	Qualified
3	Moisture content	%	≤10	9.2	Qualified
4	Glucomannan content	%	≥85	88.6	Qualified
5	pH	-	5.0-7.0	6.4	Qualified
6	Ash	%	≤3.0	0.98	Qualified
7	Pb	mg/kg	1.0	0.1	Qualified
8	As	mg/kg	2.0	0.1	Qualified
9	SO ₂	g/kg	0.3	0.256	Qualified
10	Total plate count	cfu/g	≤3000	Conforms	Qualified
11	Mold&yeast	cfu/g	≤15	15	Qualified
12	Coliform	MPN/g	Not detected	Not detected	Qualified
Viscosity test conditions: 1% solution,permanent 30°C temperature, NDJ-1 rotating viscometer(Shanghai Balance Instrument Factory), No.4 rotor,12rolls/min.					
Conclusion					
The samples of the seized targets in line with customer's technical standards, allowed the factory. April 8,2011					

Approver:

Analyst:

Q.M.: